# The pregnancy care planner Your NHS guide to having a baby

www.nhs.uk/pregnancy



Companions Having a companion you can 'lean on' and who can support you during your labour can be helpful. It has	Name:					Due date:					
Companions Having a companion you can 'lean on' and who can support you during your labour can be helpful. It has been shown to reduce the need for pain relief.  I would like my partner or companion(s) to be with me during labour  I would not like my partner or companion(s) to be with me during labour	You will h services a affect you I won I won	ave a choicere availabour choice.  uld like to guld like guld	ce about where locally and a live birth at ho live birth in a	advise you on a ome midwifery unit maternity team u	ny issues to	do with your					
Companions Having a companion you can 'lean on' and who can support you during your labour can be helpful. It has been shown to reduce the need for pain relief.  I would like my partner or companion(s) to be with me during labour  I would not like my partner or companion(s) to be with me during labour				-							
Having a companion you can 'lean on' and who can support you during your labour can be helpful. It has been shown to reduce the need for pain relief.  I would like my partner or companion(s) to be with me during labour  I would not like my partner or companion(s) to be with me during labour											
Having a companion you can 'lean on' and who can support you during your labour can be helpful. It has been shown to reduce the need for pain relief.  I would like my partner or companion(s) to be with me during labour  I would not like my partner or companion(s) to be with me during labour	_			uld like to giv	e birth and	why:					
Having a companion you can 'lean on' and who can support you during your labour can be helpful. It has been shown to reduce the need for pain relief.  I would like my partner or companion(s) to be with me during labour  I would not like my partner or companion(s) to be with me during labour	_			uld like to giv	e birth and	why:					
Having a companion you can 'lean on' and who can support you during your labour can be helpful. It has been shown to reduce the need for pain relief.  I would like my partner or companion(s) to be with me during labour  I would not like my partner or companion(s) to be with me during labour	_			uld like to giv	e birth and	why:					
I would like my partner or companion(s) to be with me during labour  I would not like my partner or companion(s) to be with me during labour	_			uld like to giv	e birth and	why:					
I would not like my partner or companion(s) to be with me during labour	Please wi	rite in the t		uld like to giv	e birth and	why:					
	Please wi	nions companior	ox below.	n on' and who ca			ur I	abour ca	an be he	lpful. It h	as
I am not sure yet whether I would like my partner or companion(s) to be with me during labour	Compan Having a been show	nions companior wn to redu	you can 'lear	n on' and who ca	an support yo	ou during you	ur I	abour ca	an be he	lpful. It h	as
	Compan Having a been show	nions companior wn to redu	you can 'lear ce the need fo	n on' and who ca or pain relief. mpanion(s) to be	an support yo	ou during you		abour ca	an be he	lpful. It h	as



201	ananiana during a faraana ar yaauum daliyam
	npanions during a forceps or vacuum delivery reps delivery is where forceps are placed around the baby's head to pull him or her gently from the birth
	al. Vacuum delivery, sometimes called ventouse, is when the baby is guided out using a cap fitted to its
nead	d by suction.
	I would like my partner or companion(s) to be with me if I have a forceps or vacuum delivery
	I would not like my partner or companion(s) to be with me if I have a forceps or vacuum delivery
	I do not mind if my partner or companion(s) is with me if I have a forceps or vacuum delivery
	I am not sure yet whether I would like my partner or companion(s) to be with me if I have a forceps or vacuum delivery
	npanions during a caesarean section
	esarean section is when the baby is delivered by cutting through the abdomen and into the womb. This
A ca	
A ca	only be performed when it is necessary, but there are situations where this is the safest option for either
A ca will o ou	
A ca will o ou	only be performed when it is necessary, but there are situations where this is the safest option for either or your baby. If your caesarean section is carried out under local anaesthetic and you are awake, your
A ca vill ( vou	only be performed when it is necessary, but there are situations where this is the safest option for either or your baby. If your caesarean section is carried out under local anaesthetic and you are awake, your ner or companion may sit with you.
A ca will o	only be performed when it is necessary, but there are situations where this is the safest option for either or your baby. If your caesarean section is carried out under local anaesthetic and you are awake, your ner or companion may sit with you.  I would like my partner or companion to be with me if I have a caesarean section



com	hing equipment may find that items such as wall bars, mats or beanbags help you to change position and remain fortable during labour. If you're giving birth in a maternity unit, your midwife will be able to tell you if
spec	ific items are normally available. However, you may need or prefer to provide some equipment yourself.
	I plan to use equipment such as mats or beanbags during labour
	I do not plan to use equipment such as mats or beanbags during labour
	I am not sure yet whether I would like to use equipment such as mats or beanbags during labour
-	comments on birthing equipment and whether I will provide it: se write in the box below.
Son roor	cial facilities e units may offer you special facilities such as a birthing pool. Some have special rooms called LDRP
	ns (labour, delivery, recovery, postnatal rooms) where you stay in the same room until you leave the bital. Your midwife will be able to tell you what's available.
	I would like to use a special LDRP room, if available
	bital. Your midwife will be able to tell you what's available.
	I would like to use a special LDRP room, if available
	I would like to use a special LDRP room, if available  I would like to use a birthing pool, if available
	I would like to use a special LDRP room, if available I would like to use a birthing pool, if available I would like to use other special facilities I am not sure yet whether I would like to use special facilities, such as a special LDRP room or birthing
	I would like to use a special LDRP room, if available I would like to use a birthing pool, if available I would like to use other special facilities I am not sure yet whether I would like to use special facilities, such as a special LDRP room or birthing pool, if available  comments on any special facilities I would like to use:
	I would like to use a special LDRP room, if available I would like to use a birthing pool, if available I would like to use other special facilities I am not sure yet whether I would like to use special facilities, such as a special LDRP room or birthing pool, if available  comments on any special facilities I would like to use:
	I would like to use a special LDRP room, if available I would like to use a birthing pool, if available I would like to use other special facilities I am not sure yet whether I would like to use special facilities, such as a special LDRP room or birthing pool, if available  comments on any special facilities I would like to use:



Monit	oring during labour
	paby is monitored throughout labour to make sure that it is not in distress. There are different ways of
monito	ring the baby's heartbeat.
	nave discussed with my midwife how I would like my baby's heart to be monitored if everything is
St	raightforward
	have not discussed with my midwife how I would like my baby's heart to be monitored if everything is
st	raightforward
Myco	mments on monitoring my baby during labour:
_	write in the box below.



	active for as long as you feel comfortable. This helps the progress of the birth. Keeping active doesn't doing anything strenuous, just moving around normally.
	I would like to move around during labour
	I would not like to move around during labour
	I do not mind whether or not I move around during labour
	I am not sure yet whether I would like to move around during labour
	comments on moving around during labour: se write in the box below.
Find class	tions for labour and birth the positions you prefer and which will make labour easier for you. Try out various positions at antenatal or at home to find out which are the most comfortable for you. You can choose as many positions as want and vary them throughout your labour.
Find class	the positions you prefer and which will make labour easier for you. Try out various positions at antenatal or at home to find out which are the most comfortable for you. You can choose as many positions as
Find class	the positions you prefer and which will make labour easier for you. Try out various positions at antenatal or at home to find out which are the most comfortable for you. You can choose as many positions as want and vary them throughout your labour.
Find class	the positions you prefer and which will make labour easier for you. Try out various positions at antenatal or at home to find out which are the most comfortable for you. You can choose as many positions as vant and vary them throughout your labour.  I would like to be in bed with my back propped up by pillows
Find class	the positions you prefer and which will make labour easier for you. Try out various positions at antenatal or at home to find out which are the most comfortable for you. You can choose as many positions as want and vary them throughout your labour.  I would like to be in bed with my back propped up by pillows  I would like to be standing
Find class	the positions you prefer and which will make labour easier for you. Try out various positions at antenatal or at home to find out which are the most comfortable for you. You can choose as many positions as vant and vary them throughout your labour.  I would like to be in bed with my back propped up by pillows  I would like to be standing  I would like to be sitting
Find class	the positions you prefer and which will make labour easier for you. Try out various positions at antenatal or at home to find out which are the most comfortable for you. You can choose as many positions as vant and vary them throughout your labour.  I would like to be in bed with my back propped up by pillows  I would like to be standing  I would like to be sitting  I would like to be kneeling
Find class	the positions you prefer and which will make labour easier for you. Try out various positions at antenatal or at home to find out which are the most comfortable for you. You can choose as many positions as want and vary them throughout your labour.  I would like to be in bed with my back propped up by pillows  I would like to be standing  I would like to be sitting  I would like to be kneeling  I would like to be kneeling on all fours



can	n-to-skin contact with your baby nediately after the birth you can have your baby lifted straight onto you before the cord is cut so that you be close to each other immediately. If you prefer, you can ask the midwife to wipe your baby and wrap or her in a blanket first.
	I would like my baby delivered straight onto my tummy
	I would like my baby cleaned first before being given to me
	I do not mind if my baby is cleaned before being given to me
_	I am not sure yet whether I would like my baby delivered straight onto my tummy comments on anything special I would like to happen immediately after the birth: ase write in the box below.
	lwives, nurses and doctors in training wives, nurses and doctors need to observe women in labour as part of their training. They will always be ervised by a senior health professional.
	wives, nurses and doctors need to observe women in labour as part of their training. They will always be
	wives, nurses and doctors need to observe women in labour as part of their training. They will always be ervised by a senior health professional.  I have discussed with my midwife my thoughts about having midwives, nurses or doctors in training with
sup 	wives, nurses and doctors need to observe women in labour as part of their training. They will always be ervised by a senior health professional.  I have discussed with my midwife my thoughts about having midwives, nurses or doctors in training with me during labour  I have not discussed with my midwife my thoughts about having midwives, nurses or doctors in training
sup 	wives, nurses and doctors need to observe women in labour as part of their training. They will always be ervised by a senior health professional.  I have discussed with my midwife my thoughts about having midwives, nurses or doctors in training with me during labour  I have not discussed with my midwife my thoughts about having midwives, nurses or doctors in training with me during labour  y other comments or preferences about my labour and birth:
Sup An	wives, nurses and doctors need to observe women in labour as part of their training. They will always be ervised by a senior health professional.  I have discussed with my midwife my thoughts about having midwives, nurses or doctors in training with me during labour  I have not discussed with my midwife my thoughts about having midwives, nurses or doctors in training with me during labour  y other comments or preferences about my labour and birth:



	nany different pain relief options. Some women use a combination of methods. You may find that ore pain relief than you had planned, or that more effective pain relief may be advised to assist y. You can use a number of different methods at different times.
I would	l like to try breathing and relaxation
I would	l like to try being in water during labour and/or birth
I would	I like to try massage
I would	l like to try acupuncture
I would	l like to try TENS (transcutaneous electrical nerve stimulation)
I would	l like to try gas and air (entonox)
I would	l like to try pain-relieving injections
I would	I like to try an epidural
I would	I like to try other methods of pain relief
I would	l like to try to manage without pain relief
•	ences for pain relief: e in the box below.



if the	pisiotomy is a cut in the perineum (the area between the vagina and anus). This may be necessary perineum won't stretch enough and may tear, or if the baby is short of oxygen and needs to be ered quickly.
	I have discussed with my midwife or doctor why an episiotomy might be necessary
	I have not discussed with my midwife or doctor why an episiotomy might be necessary
_	reelings about the possible need for an episiotomy: se write in the box below.
After synto	vering the placenta after the birth your baby is born your midwife will offer you an injection in your thigh. This contains the drug metrine or syntocinon which helps the womb contract and can prevent the heavy bleeding that some en may experience without it.
	I have discussed with my midwife what happens after labour when the placenta is delivered
	I have not discussed with my midwife what happens after labour when the placenta is delivered
	preferences about delivering the placenta: se write in the box below.
4	



Feeding your baby Breast milk is the best form of nutrition for babies as it provides all the nutrients a baby needs and has lasting benefits for the health of your child. Infant formula milk can be used as an alternative to breast milk.  I would like to breastfeed my baby  I would like to bottle feed my baby  I would like to try a mixture of breastfeeding and bottle feeding  I am not sure yet how I would like to feed my baby  My comments about feeding my baby: Please write in the box below.  Vitamin K for your baby  Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:  Please write in the box below.		
benefits for the health of your child. Infant formula milk can be used as an alternative to breast milk.  I would like to breastfeed my baby  I would like to try a mixture of breastfeeding and bottle feeding  I am not sure yet how I would like to feed my baby  My comments about feeding my baby:  Please write in the box below.  Vitamin K for your baby  Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
I would like to breastfeed my baby  I would like to bottle feed my baby  I would like to try a mixture of breastfeeding and bottle feeding  I am not sure yet how I would like to feed my baby  My comments about feeding my baby:  Please write in the box below.  Vitamin K for your baby  Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
I would like to bottle feed my baby  I would like to try a mixture of breastfeeding and bottle feeding  I am not sure yet how I would like to feed my baby  My comments about feeding my baby:  Please write in the box below.  Vitamin K for your baby  Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
I would like to try a mixture of breastfeeding and bottle feeding I am not sure yet how I would like to feed my baby  My comments about feeding my baby: Please write in the box below.  Vitamin K for your baby Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:	I	would like to breastfeed my baby
I am not sure yet how I would like to feed my baby  My comments about feeding my baby:  Please write in the box below.  Vitamin K for your baby  Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		would like to bottle feed my baby
My comments about feeding my baby:  Please write in the box below.  Vitamin K for your baby  Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:	I	would like to try a mixture of breastfeeding and bottle feeding
Vitamin K for your baby Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:	Πı	am not sure yet how I would like to feed my baby
Vitamin K for your baby Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
Vitamin K for your baby Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:	_	
Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:	Pleas	write in the box below.
Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
Vitamin K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
be suggested that your baby be given vitamin K either by injection or by mouth.  I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
I have given my midwife my consent to give my baby vitamin K  I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:		
I have not given my midwife my consent to give my baby vitamin K  Any other comments or preferences about me and my baby immediately after the birth:	Vitam	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may
Any other comments or preferences about me and my baby immediately after the birth:	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K
Please write in the box below.	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K  have not given my midwife my consent to give my baby vitamin K
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K  have not given my midwife my consent to give my baby vitamin K  ther comments or preferences about me and my baby immediately after the birth:
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K  have not given my midwife my consent to give my baby vitamin K  ther comments or preferences about me and my baby immediately after the birth:
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K  have not given my midwife my consent to give my baby vitamin K  ther comments or preferences about me and my baby immediately after the birth:
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K  have not given my midwife my consent to give my baby vitamin K  ther comments or preferences about me and my baby immediately after the birth:
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K  have not given my midwife my consent to give my baby vitamin K  ther comments or preferences about me and my baby immediately after the birth:
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K  have not given my midwife my consent to give my baby vitamin K  ther comments or preferences about me and my baby immediately after the birth:
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K  have not given my midwife my consent to give my baby vitamin K  ther comments or preferences about me and my baby immediately after the birth:
	Vitam be su	n K is needed to make the blood clot properly. Some newborn babies have too little vitamin K so it may gested that your baby be given vitamin K either by injection or by mouth.  have given my midwife my consent to give my baby vitamin K  have not given my midwife my consent to give my baby vitamin K  ther comments or preferences about me and my baby immediately after the birth:



If yo	ecial requirements but have any special requirements, please tick any that apply to you. You can fill in more details in the below.
	English is not my first language, and I need someone present who speaks my first language
	I need a sign language interpreter
	I have special dietary requirements
	I and/or my partner have special needs
	I would like certain religious customs to be observed
_	special requirements are: ase write in the box below.
	neral comments: ase write in the box below.